

on the morphology , crystallization behavior , and mechanical properties. 45367, 9–11. <https://doi.org/10.1002/app.45367>

Öz, Ö., & Öztürk, F. H. (2022). Investigation of the effects of printing angle on mechanical properties of PLA specimen fabricated with 3D printer by using experimental and finite elements method. *Journal of Polytechnic*, 1(1), 0–14. <https://doi.org/10.2339/politeknik.882313>

Popescu, D., Zapciu, A., Amza, C., Baci, F., & Marinescu, R. (2018). FDM process parameters influence over the mechanical properties of polymer specimens: A review. 69(May), 157–166. <https://doi.org/10.1016/j.polymertesting.2018.05.020>

Sodeifian, G., Ghaseminejad, S., & Akbar, A. (2019). Results in Physics Preparation of polypropylene / short glass fiber composite as Fused Deposition Modeling (FDM) filament. *Results in Physics*, 12(November 2018), 205–222. <https://doi.org/10.1016/j.rinp.2018.11.065>

Thiago, R., Ferreira, L., Amatte, I. C., & Daniel, B. (2017). Experimental characterization and micrography of 3D printed. May. <https://doi.org/10.1016/j.compositesb.2017.05.013>

Uzun, M., & Erdoğan, Y. E. (2020). Investigation of the Effect of Using Unreinforced and Reinforced PLA in Production by Fused Deposition Modeling on Mechanical Properties. *Journal of the Institute of Science and Technology*, 10(4), 2800–2808. <https://doi.org/10.21597/jist.799230>