







## KAYNAKLAR

1. Bano, A., Ullah F., Nosheen A. Role of abscisic acid and drought stress on the activities of antioxidant enzymes in wheat // *Plant. Soil. Environ.*, 2012, Vol. 58, p.181-185.
2. Ali Q., Ashraf M. Exogenously applied glycine betaine enhances seed and seed oil quality of maize (*Zea mays* L.) under water deficit conditions // *Environ Exp. Bot.*, 2011, Vol. 71, p.249-259
3. Alcazar R., Altabella T., Marco F. and et al. Polyamines: molecules with regulatory functions in plant abiotic stress tolerance // *Planta*, 2010, Vol. 231, p.1237-1249
4. Lawlor D.W., Cornic G. Photosynthetic carbon assimilation and associated metabolism in relation to water deficits in higher plants // *Plant, Cell & Environment*, 2002, Vol. 25, p.275-294.
5. Liu J., Zhu J.-K. A calcium sensor homolog required for plant salt tolerance // *Science*, 1998, Vol. 280, p.1943-1945.
6. Əliyev R.T., Abbasov M.Ə., Rəhimli V.R. Stres və bitkilərin adaptasiyası. Bakı: «Elm», 2014, 348 s.
7. Bartels D, Sunkar R (2005) Drought and salt tolerance in plants // *Crit. Rev. Plant. Sci.*, 2005, Vol. 24, p.23-58.
8. Atkinson N.J., Urwin P.E. The interaction of plant biotic and abiotic stresses: from genes to the field // *J. Exp. Bot.*, 2012, Vol. 63(10), p.3523-3543
9. Agarwal P.K., Jha J. Transcription factors in plants and ABA dependent and independent abiotic stress signaling // *Biol. Plant.*, Vol. 54, 2010, p.201-212.